# CHECKLIST FOR FILING AN APPLICATION FOR THE DISCHARGE OF POLLUTANTS INTO SURFACE WATERS OR GROUNDWATERS OF THE DELAWARE RIVER BASIN

# PLEASE COMPLETE CHECKLIST AND ENCLOSE WITH THE APPLICATION.

If you need assistance, call the Project Review Section - (609) 883-9500, extension 216 or refer to the DRBC website at http://www.nj.gov/drbc/

Applicant Name: PennEast Pipeline Company, LLC	
Existing Docket Number (if applicable):	
Type of Application:	
<ul> <li>□ Re-rate of Existing Wastewater Facility</li> <li>□ Renewal of Existing Wastewater</li> <li>Facility</li> <li>New Discharge:</li> <li>□ Non-SPW</li> <li>□ Outstanding Basin Waters (OBW)</li> <li>□ Significant Resource Waters (SRW)</li> <li>□ Drainage Area to SPW</li> </ul>	Modification of Existing Wastewater Facility:  Expansion/Modification of Existing Discharge Facility  Service Area Modification  Outfall Modification  TDS Determination  Other
<u>ITEM</u>	ENCLOSED N/A
Wastewater Facility Application	
Location Map (Question 6)	
Service Area Map (Question 7)	
• Flood Plain Map (Question 9.g.)	
Wetland Certification (Question 11)	
Copy of applicable State Applications / Appro	vals (Question 12)
• SPW Projects (Questions 13. through 17.)	
2. Project Narrative	
3. "Applicant's Statement – Project Review Fee" form &	<u> </u>
4. N(J)PDES/SPDES Permit	
5. N(J)PDES/SPDES Permit application	
6. State Construction Application (WQMP, TWA, Plan A	
7. TDS Questionnaire	



# APPLICATION FOR THE DISCHARGE OF POLLUTANTS INTO SURFACE WATERS OR GROUNDWATERS OF THE DELAWARE RIVER BASIN

## SECTION A: APPLICANT INFORMATION

1.	General Inforn	nation: (please print or type)				
	Applicant Name	e: PennEast Pipeline Company, LLC				
	Parent Corporat	ion Name, if different: <u>UGI Energy S</u>	ervices, LLC			
	Contact Name a	nd Title: Anthony C. Cox				
	Mailing Address	s:UGI Energy Services, LLC				
		One Meridian Blvd, Suite 2C01				
		City: Wyomissing	State: PA	Zip: 19610		
	Telephone:	610-568-1374	Fax:			
Email Address: acox@ugies.com						
		torney Name, if applicable: Bryn L. M				
	Mailing Address	s:UGI Corporation				
		460 North Gulph Road				
		City: King of Prussia	State: PA	Zip: 19406		
	Telephone:	610-992-3750	Fax: 610-992-3	3258		
	Email Address:	michaelsb@ugicorp.com				
	Facility Address	: <u>N/A</u>				
		-				
		City:	State:	Zip:		
		Township:	County:			
2.	Affidavit:					
	law, depose and	onwealth of <u>PA</u> , County of <u>Borks</u> say that I have the authority to make submitted as part of the application pelief.	e this application and	that the plans, reports		
	Sworn and subso	cribed to before me this 29th day of	0	Rmak Manager		
	No	otary Public	Signature and Title	of Responsible Official		

COMMONWEALTH OF PENNSYLVANIA

MEMBER, PENNSYLVANIA ASSOCIATION OF NOTARIES

Notarial Seal
Marisue Good, Notary Public
Spring Twp., Berks County
My Commission Expires March 7, 2016

### 3. Consultant Information:

Name of Engine	Name of Engineer: Wade Cope					
Name of Firm:	AECOM					
Mailing Address: 4507 North Front Street						
	Suite 200					
	Harrisburg, PA 17110					
Phone:	717-635-7901					
Email Address:	wade.cope@aecom.com					
Signature of Con	asultant William					

# **SECTION B: TYPE OF DISCHARGE**

4.	Type of Discharge:	(check all that	apply)		
	☐ Municipal Wastev	vater		Other Surface Water Discharge	
	☐ Industrial Wastew	ater		□ Land Based/Groundwater Dischar	ge
	Non-Contact Cool	ling Water (NC)	CW)	Spray Field	
	Contact Cooling V	Vater (CCW)		☐ Drip Irrigation	
	Landfill Leachate			Other:	_
	Water Treatment l	Plant Backwash	L		
	<u>SECTI</u>	ON C: RECE	IVING WATEI	RBODY INFORMATION	
5.	Surface waterbody	name: <u>Multi</u> j	ole locations thr	coughout the basin	
	State surface water	body use classi	ification (Circle	all that apply):	
	Pennsylvania	New Jerse	y New	York Delaware	
	EV	FW1	A	ERES	
	HQ	FW2	AA	CWF	
	CWF	PL	A-S		
	WWF	TP	AA	-S FALW	
	MF	TM	В		
	TSF	NT	C		
		SE	D		
		SC	T		
		Car Danis of N	TS	nahanna I a a 45 an a	
		· ·		scharge Locations	
	Q <sub>7-10</sub> statistic:	(cfs)	(mgd)		
	Mean Harmonic Flor	w:	(cfs)	(mgd)	
	Nearest USGS Gage		(ref	Ference USGS gage used to calculate)	_
	OUTFALL NO	). I	LATITUDE (N)	` ′	
	UnT Black Cree	ek		_ ° , ,,	
				_ ° , ,,	
				<u> </u>	
	II .		0 , ,,	0 2 22	- 11

#### **SECTION D: SERVICE AREA**

**6.** Attach a map (preferably USGS Quadrangle) which indicates the location of all treatment facilities and discharge locations.

See Section 2, Appendix B – Project Location Map

7. Enclose a service area map that includes a delineation of the existing service area and the proposed service area.

The discharge will be a one-time, temporary discharge from hydrostatic testing; therefore, this is not applicable.

**8.** Does the facility treat imported wastewater? If so, describe the volume treated and the source of imported wastewater.

*The natural gas pipeline will not import waters from outside the basin.* 

#### **SECTION E: FACILITIES DESCRIPTION**

- 9. Wastewater disposal information:
  - a. Describe the method of wastewater treatment and <u>attach</u> a line diagram of the treatment train:

See Project Narrative Sections 3.1.2, 3.2.2, and 3.3.2

b.	Describe the method of wastewater disposal:
	☐ Surface water Discharge ☐ Land Based ☐ Groundwater
	Other: (describe)
c.	Existing Treatment Plant Information:
	Treatment Plant:
	Name or Owner: <u>N/A</u>
	N(J)PDES/SPDES Permit No.:
	Location:
	City: State: Zip:
	State-Permitted Hydraulic Design Capacity: mgd
	Flow that N(J)PDES/SPDES Permit limits are based on: mgd
	Current Operating Flow: mgd (Average monthly flow from the previous 12 months).

d. Proposed Treatment Plant Information:

**Treatment Plant:** 

	Name or Owner: <u>N/A</u>
	N(J)PDES/SPDES Permit No.:
	Location:
	City: State: Zip:
	State-Permitted Hydraulic Design Capacity: mgd
	Flow that N(J)PDES/SPDES Permit limits are based on: mgd
	Proposed Flow: mgd
e.	Importation/Exportation of Wastewater:
	i. If the facility accepts wastewater from outside of the Delaware River Basin, please provide a demonstration that Section $2.30.6$ of the Water Code is satisfied. (Attach at the end of the Application.)
	The Project will not import water from outside of the Delaware River Basin.
	ii. If the facility is exporting wastewater, please provide a demonstration that the wastewater is being transported to a permitted wastewater facility that has the capacity to treat the wastewater and a written statement from the permitted wastewater facility of said arrangement. (Attach at the end of the Application.)
	The Project will not import export water outside of the Delaware River Basin.
f.	Emergency Power  i. Does the existing facility have available standby power? Yes/No If yes, describe the current standby power system:
	ii. Does the proposed facility have available standby power? Yes/No If yes, describe the proposed standby power system:
g.	The applicant must submit a site map showing the locations of the 100-year flood plain and floodway boundaries (as indicated by the Flood Insurance Study for the project municipality) in relation to all structures. If a Flood Insurance Study has not been completed for the project municipality, supply a copy of the Official Flood Hazard Boundary Map of the site and indicate the locations of all structures (For more information see the Commission's Flood Plain Regulations).
	A 100-year Floodplain Delineation is enclosed in Section 2, Appendix B.
h.	How does the treatment facility handle sludge wastes? If they are taken off-site, please provide off-site facility?  Hydrostatic testing of the pipeline will neither produce nor handle sludge wastes. Disposal of HDD water is discussed in Project Narrative Section 3.2.2.
Pu	blic Water Supply: (for Treatment Facility's service area)
Ow	ner/Operator of Public Water Supply: <u>N/A</u>
Sta	te Public Water Supply Water Allocation Permit No:

10.

DRBC Docket/Permit No:		
Location:		
City:	State:	Zip:

#### SECTION F: ADDITIONAL INFORMATION

11. Identify all wetlands that may be impacted by the project on a map. Wetlands are defined in the Commission's *Water Code* (Section 2.350.1) as those areas which are inundated by surface or ground water with a frequency sufficient to support a prevalence of vegetative or aquatic life that requires saturated soil conditions for growth and reproduction, or are delineated as wetlands by a signatory state. It is the policy of the Commission to support the preservation and protection of wetlands in accordance with Section 2.350.2 of the *Water Code*. Each application shall include a signed statement that the project is or is not located within a wetland as defined by applicable state and federal regulations.

Information on determining the presence or absence of wetlands can be obtained from the Army Corps of Engineers Philadelphia District Regulatory Branch:

http://www.nap.usace.army.mil/cenap-op/regulatory/wetlands\_guidance.html

<u>See Section 2, Appendix B – Wetland and Waterbody Delineation Maps, Section 2, Appendix D – Wetland Impact Tables, and Section 3 - Signed Wetlands Statement.</u>

# 12. Prior or pending state or federal permits:

Type of State Permit(s) Required for Project	Status	Agency	Permit Issue Date	Permit Number
See Project Narrative Table 2.2-1				

#### **SECTION G: SPW PROJECTS**

In 1992, the DRBC adopted SPW requirements, as part of the DRBC *Water Quality Regulations* (*WQR*), designed to protect existing high water quality in applicable areas of the Delaware River Basin. One hundred twenty miles of the Delaware River from Hancock, New York downstream to the Delaware Water Gap has been classified by the DRBC as SPW. This stretch includes the sections of the river federally designated as "Wild and Scenic" in 1978 -- the Upper Delaware Scenic and Recreational River and the Delaware Water Gap National Recreation Area -- as well as an eight-mile reach between Milrift and Milford, Pennsylvania which is not federally designated. The SPW regulations apply to this 120-mile stretch of the river and its drainage area.

On July 16, 2008, the DRBC approved amendments to its *WQR* that designated the portion of the Delaware River and its tributaries within the boundary of the Lower Delaware River Management Plan Area as SPW. At that same time, clarity on definitions and terms were updated for the entire SPW program. For detailed information regarding the Commission's SPW program and regulations, please see the *WOR*.

#### 13. Standby Power

- a. Does the existing facility have available standby power? Yes/No If yes, describe the current standby power system:
- b. Does the proposed facility have available standby power? Yes/No If yes, describe the proposed standby power system:

#### 14. Remote Alarm System

- a. Is the existing facility staffed 24 hours per day? Yes/No. If no, does the facility have a remote alarm system that continuously monitors plant operations? Yes/No. If yes, describe: PennEast anticipates continuous monitoring during the discharge.
- b. Will the proposed facility be staffed 24 hours per day? Yes/No. If no, will/does the facility have a remote alarm system that continuously monitors plant operations? Yes/No If yes, describe:
  - PennEast anticipates continuous monitoring during the discharge.
- 15. If the facility is existing, does the facility have an Emergency Management Plan (EMP) approved by the Commission? Yes/No.

The discharge will be a one-time, temporary discharge from hydrostatic testing; therefore, this is not applicable.

	TC	1 ,	• ,	10	
a.	IT VAC	what vear	Was if ant	rovedi	
a.	11 1000	wnat vear	was it ain	noveu:	

**b.** If no, you must include an EMP as part of this Application. *N/A* 

#### 16. Grandfathered Loads

Due to the nature of the project, this section is not applicable.

- a. Which region of SPW does the facility discharge to? Upper Middle Lower (circle one)
- b. Was the facility in existence & discharging at the time of SPW designation (December 1992 for Upper or Middle and January 2005 for Lower)? Yes/No
- c. If yes, does the facility have Grandfathered Loads confirmed by the Commission for the measurable change (MC) parameters found below: Yes/No

Dissolved Oxygen	Fecal Coliform	Total Suspended Solids
Total Phosphorous	Ammonia-Nitrogen	Nitrite-Nitrate-Nitrogen
BOD5 *	Total Kjeldahl Nitrogen *	Total Nitrogen **

<sup>\*</sup> Only applicable for Upper/Middle SPW

d. If no, the applicant shall make their best effort to provide the Commission with monthly average effluent data (effluent flow & concentration) from the years prior to designation (1987-1991 for Upper and Middle or 2000-2004 for Lower) for as many of the MC parameters as possible by completing the tables below. This information may be used to establish the facility's grandfathered loads. In the absence of this information, the applicant should continue to complete the remainder of the Application.

Month (1987 or 2000)	D.O. (mg/l)	Fecal Coliform (cfu/100 ml)	TSS (mg/l)	TP (mg/l)	NH3- N (mg/l)	NO3- NO2-N (mg/l)	BOD5 (mg/l)	TKN (mg/l)	TN (mg/l))	Effluent Flow (mgd)
Jan										
Feb										
March										
April										
May										
June										
July										
August										
Sept										
Oct										
Nov										
Dec										

Month (1988 or 2001)	<b>D.O.</b> (mg/l)	Fecal Coliform (cfu/100 ml)	TSS (mg/l)	TP (mg/l)	NH3- N (mg/l)	NO <sub>3</sub> - NO <sub>2</sub> -N (mg/l)	BOD5 (mg/l)	TKN (mg/l)	TN (mg/l))	Effluent Flow (mgd)
Jan										
Feb										
March										
April										

<sup>\*\*</sup> Only applicable for Lower SPW

Month (1988 or 2001)	D.O. (mg/l)	Fecal Coliform (cfu/100 ml)	TSS (mg/l)	TP (mg/l)	NH3- N (mg/l)	NO <sub>3</sub> - NO <sub>2</sub> -N (mg/l)	BOD5 (mg/l)	TKN (mg/l)	TN (mg/l))	Effluent Flow (mgd)
May										
June										
July										
August										
Sept										
Oct										
Nov										
Dec										

Month (1989 or 2002)	D.O. (mg/l)	Fecal Coliform (cfu/100 ml)	TSS (mg/l)	TP (mg/l)	NH3- N (mg/l)	NO <sub>3</sub> - NO <sub>2</sub> -N (mg/l)	BOD5 (mg/l)	TKN (mg/l)	TN (mg/l))	Effluent Flow (mgd)
Jan										
Feb										
March										
April										
May										
June										
July										
August										
Sept										
Oct										
Nov										
Dec										

Month (1990 or 2003)	D.O. (mg/l)	Fecal Coliform (cfu/100 ml)	TSS (mg/l)	TP (mg/l)	NH3- N (mg/l)	NO3- NO2-N (mg/l)	BOD5 (mg/l)	TKN (mg/l)	TN (mg/l))	Effluent Flow (mgd)
Jan										
Feb										
March										
April										
May										
June										
July										
August										
Sept										
Oct										
Nov										
Dec										

Month	D.O.	Fecal	TSS	TP	NH3-	NO <sub>3</sub> -	BOD5	TKN	TN	Effluent
(1991 or	(mg/l)	Coliform	(mg/l)	(mg/l)	N (mg/l)	NO <sub>2</sub> -N	(mg/l)	(mg/l)	(mg/l))	Flow
2004)		(cfu/100 ml)				(mg/l)			- ''	(mgd)

Month (1991 or 2004)	D.O. (mg/l)	Fecal Coliform (cfu/100 ml)	TSS (mg/l)	TP (mg/l)	NH3- N (mg/l)	NO3- NO2-N (mg/l)	BOD5 (mg/l)	TKN (mg/l)	TN (mg/l))	Effluent Flow (mgd)
Jan										
Feb										
March										
April										
May										
June										
July										
August										
Sept										
Oct										
Nov										
Dec										

**17.** For a New or "Expanding Wastewater Treatment Project" or for projects proposing "Substantial Alterations or Additions", the following may apply:

The discharge will be a one-time, temporary discharge from hydrostatic testing of the pipeline with no treatment system in place; therefore, this is not applicable.

- a. Direct dischargers to OBW or SRW "must evaluate all non-discharge load reduction alternatives for all or a portion of the incremental load"
- b. Direct dischargers to OBW/SRW/tributaries to SPW "must evaluate natural treatment alternatives (NTA) for all or a portion of the incremental load
- c. Direct dischargers to SRW will require "the Commission..... to make a determination that the project is in the public interest"
- d. For direct dischargers to OBW or SRW, "the minimum level of treatment to be provided for the incremental discharge is" the Commission's "Best Demonstrable Technology (BDT)" requirement
- e. Direct dischargers to OBW/SRW/tributaries to SPW "must demonstrate that the project will cause no measurable change (NMC) to Existing Water Quality (EWQ)"

The applicant shall attach a report titled "Selected Discharge Alternative" which contains a description of how the proposed project meets each of the above applicable requirements.

#### 18. Non-Point Source Pollution Control Plan (NPSPCP)

The applicant shall provide a description of how the proposed project controls the new or increased non-point source loads generated within the portion of the project's service area which is also located within the drainage area of SPW. In general, a NPSPCP shall consist of an **Erosion and Sediment Control Plan** and a **Post Construction Stormwater Management Plan**.

The Soil and Erosion Control Plan Drawings and Post-Construction Stormwater Management Plan Drawings will be provided following submittal to the Pennsylvania Department of Environmental Protection, County Conservation Districts, New Jersey Department of Environmental Protection, and Soil Conservation Districts, as applicable.